Index for Volume 33 (1984)

COMPILED BY TROY L. BEST

Acanthosphaera
  bernardi, 278
  macropora, 277, 278
Achnanthes
  deflexa, 76
  lanceolata, 76
  minutissima, 76
Acichelyidae, 287
Acridotheres tristis, 408–421
Acteon, 267
Actinomma acusosum, 277, 278
Adocidae, 286
Adocus, 300, 301
Aedes, 303, 304
  annulipes, 361
  cantans, 357, 359–362, 367
  cinereus, 357, 359, 361, 362, 368
  communis, 356, 357, 359, 361–363, 365, 368
  euedes, 364, 365
  excrucians, 356, 357, 359–365, 367, 368
  nigripes, 357, 359, 361, 365, 368
  stimulans, 361, 363
Aethechinus algirus, 29
Aethia
  cristatella, 177
  pusilla, 177
  pygmaea, 177
Ageneiosidae, 428
Aglajidae, 264
Alca torda, 177
Alcidae, 167–177
Alle alle, 177
Allele frequencies, 52–63
Allometry, 217–237
Allopatric speciation, 115–116
Allozymes, 205–216
Allozymic congruence, 195–204
Alouatta, 29
Ametrida
  centurio, 29, 460
Amphichelyidae, 287
Anablepidae, 428
Analysis,
  character, 167–177
  compatibility, 167–177
  Fourier, 302–317
  historical, 283–301
  image, 302–317
  multiple discriminant, 14–29
  outgroup, 83–103
  phylogenetic, 159–166
  principal component, 408–421
  restriction endonuclease, 370–380
  Treeness test, 159–166
Anas
  acuta, 371, 373–375, 377
  americana, 371–373, 375–377
  clypeata, 371, 373–375, 377
  crecca, 371, 373–375, 377
  cyanoptera, 371, 373, 375, 377
  discors, 371–375, 377
  fulvigula, 371–377
  platyrhynchos, 371, 373–377
  strepera, 371, 373, 375–377
Anatidae, 370–380
Anonymous (ed.), Biogéographie et tectonique des plaques (rev.), 122–123
Anopheles, 304
  maculipennis, 357, 359, 362, 368
Anoura, 443–446, 450, 451, 453, 455, 456
  geoffroyi, 460
Aotus trivirgatus, 29
Apertotemporalidae, 291
Aplonis, 205
Archie, James W., A new look at the predictive value of numerical classifications, 30–51
Archie, James W., see Rohlf, F. James, and –
Ardops annectens, 29
Artibeus, 345, 441
  jamaicensis, 29, 460
  lituratus, 29
Asellia tridens, 29
Astolfi, Paola, and Laura Zonta-Sgaramella, Phylogenetic trees: An analysis of the treeness test, 159–166
Ateles geoffroyi, 29
Atractoseus, 432
  spatula, 429
  tristoechus, 429
Auchenipteridae, 428
Aulacantha, 276
  scolymantha, 277
Avahi laniger, 29
Avise, John C., see Kessler, Louis G., and –
Aythya, 376
  affinis, 371, 373–375
  americana, 371, 373, 374, 377
  collaris, 371, 372, 374
  valisineria, 371–374, 377

Baenidae, 290–292, 296, 301
Baker, Allan J., see Gibson, A. Ralph, –

Baker, Robert J., A sympatric cryptic species of mammal: A new species of *Rhogeessa* (Chiroptera: Vespertilionidae), 178–183
Baker, Robert J., and John W. Bickham, Karyotypic megaevolution by any other name: A response to Marks, 339–341
Baker, Robert J., see Haiduk, Michael W., and –
Balogh, J., and S. Mahunka, Primitive oribatids of the Palearctic region (rev.), 472–474
Baron, Georg, see Jolicoeur, Pierre, –
Barrowclough, George F., review by, 250–251
Batagur, 138, 153
Batagurinae, 137–158
Bates, Brian A., see Sites, Jack W., Jr., –
Bats, 14–29, 178–183, 343–350, 435–460
Bernier, Réjane, The species as an individual: Facing essentialism, 460–469
Bickham, John W., see Baker, Robert J., and –
Bickham, John W., see Sites, Jack W., Jr., –
Biochemical characters and the reconstruction of turtle phylogenies: Relationships among batagurine genera, Jack W. Sites, Jr., John W. Bickham, Barbara A. Pytel, Ira F. Greenbaum, and Brian A. Bates, 137–158
Biogeography, 1–13, 195–204, 328–335, 428–435
Birds, 205–216, 370–380
Blackburn, Daniel G., From whale toes to snake eyes: Comments on the reversibility of evolution, 241–245
Blue bomb, 422–426
Blueford, Joyce R., Defining radiolarian species: In search of solutions, 275–282
Bothremydidae, 287
Brachyphylla, 344, 345, 436, 444, 445, 449–453, 458
  cavernarum, 29, 460
Brachyramphus
  brevirostris, 177
  marmoratus, 177
Brain structure and correlation patterns in Insectivora, Chiroptera, and Primates, Pierre Jolicoeur, Paul Pirlot, Georg Baron, and Heinz Stephan, 14–29
Briggs, John C., Freshwater fishes and biogeography of Central America and the Antilles, 428–435
Brooks, J. L., Just before the origin: Alfred Russel Wallace's theory of evolution (rev.), 248–249
Brown, James H., and Arthur C. Gibson, Biogeography (rev.), 249–250
Brush, Alan H., review by, 122
Brussard, Peter F., review by, 471–472

Calamoichthys, 332, 333
Callagur, 138
  borneoensis, 140–147, 151, 156, 158
Callicebus moloch, 29
Callichthyidae, 428
Callimico goeldii, 29
Callimitra atavici, 278
Callithrix jacchus, 29
Caminalcules, 387–407
Can Kripke alone save essentialism? A reply to Kitts, David L. Hull, 110–112
Caretta, 286
Carettochelyidae, 286, 290, 291, 295, 296, 301
Carettochelys, 300
Carollia, 441, 442, 444, 445
  perspicillata, 29
Casinycteris argynnis, 29
Catostomidae, 428
Cebuella pygmaea, 29
Cebus, 29
Centurio senex, 450, 460
Cephus
  columba, 177
  grylle, 177
Cercocebus albigena, 29
Cercopithecus
  ascanius, 29
  mitis, 29
  talapoin, 29
Cerion
  bendalli, 224, 230
  glans, 226
  gubernatorium, 234
  striatellum, 224, 228
  uva, 217–237
Cerorhinca monocerata, 177
Chaerophon leucostigma, 29
Characidae, 428
Character, 104–110
  analysis, 167–177
  compatibility, 167–177
  discordance, 205–216
  homoplastic, 167–177
  polarity, 83–103, 167–177
Cheirogaleus
  major, 29
  medius, 29
Cheiromeles torquatus, 29
Chelidae, 290, 291, 296, 301
Chelodina, 285, 286
Chelonia, 284, 285
Cheloniadae, 285
Chelonidae, 286, 287
Cheloniidae, 286, 290, 291, 295, 296, 301
Chelus, 287
  fimbriata, 286
Chelydidae, 286
Chelydra, 285, 286, 294, 296, 300
Chelydridae, 286, 287, 290, 291, 296, 301
Chelydroidae, 286
Chelydropsis, 300
Chelyidae, 286, 287, 291
Chelyoidae, 286
Chelys, 285, 286
  fimbriata, 286
Chersina, 285
Chilonycteris rubiginosa, 29
Chinemys, 138, 146
  kwangtungensis, 140–145, 147, 152, 156–158
  reevesi, 140–145, 147, 152, 158
Chiroderma villosum, 29
Chironomidae, 11
Chiroptera, 14–29, 178–183, 343–350, 435–460
  brain structure, 14–29
Chlorotalpa stuhlmanni, 29

Choeroniscus, 348, 443–446, 450–455
godmani, 460
Choeronycteris, 348, 443–446, 450–452, 454, 455, 458
mexicana, 460
Chrysemys scripta, 138–147, 150, 153, 156–158
Chrysochloris asiatica, 29
Cichlasoma, 429, 432
Cichlidae, 428, 430, 433
Cinosternidae, 286
Cinosternoidae, 286
Cistudo, 285
Cladistics, 1–13, 30–51, 83–103, 137–158, 184–194, 195–204, 245–247, 283–301, 387–407
Cladococcus abietinus, 278
Cladograms should be called trees, M. D. Hendy and David Penny, 245–247
Classification, 64–68
cladistic, 387–407
phenetic, 387–407
theory, 30–51
turtle, 283–301
Claws,
female mosquito, 355–369
Clustering, 64–68
Cnemotriccus fuscatus, 214
Colless, Donald H., A method for hierarchical clustering based on predictivity, 64–68
Collosphaera, 278
Colobus badius, 29
Comparison of Fourier methods for the description of wing shape in mosquitoes (Diptera: Culicidae), a, F. James Rohlf and James W. Archie, 302–317
Composite areas in vicariance biogeography, Norman I. Platnick and Gareth Nelson, 328–335
Compsemyidae, 291
Congruence, 195–204
Consensus, 381–386
Contopus, 205–216
borealis, 207–210
sordidulus, 206–213
virens, 206–213
Correlation,
cophenetic, 30–51
patterns, 14–29
Covariance sets and ordered geographic variation in *Cerion* from Aruba, Bonaire and Curaçao: A way of studying nonadaptations, Stephen Jay Gould, 217–237
Covariation,
genic–environmental, 69–82
Cracraft, Joel, The terminology of allopatric speciation, 115–116
Craw, Robin C., and Peter Weston, Panbiogeography: A progressive research program?, 1–13
Crocidura
occidentalis, 29
russula, 29
Crossochelys, 291
Cryptic species, 178–183
Ctenochelys, 300
Cubanichthys, 429, 433
pengelleyi, 432
Culex, 304
pipiens, 357, 359, 362
Culicidae, 355–369
Culiseta, 304
Cuora, 138, 146
amboinensis, 140–145, 147, 152, 156–158
flavomarginata, 140–145, 147, 149, 152, 153, 157, 158
trifasciata, 140–145, 147, 152, 158
Cyclemys, 138, 151, 153
dentata, 140–147, 149, 152, 156–158
Cyclorrhynchus psittacula, 177
Cygnus buccinator, 205
Cynopterus
brachyotis, 29
horsfieldii, 29
Cyprinodon variegatus, 429, 432, 433
Cyprinodontidae, 428–430, 432, 433

Dahl, Christine, Svante Wold, Lewis T. Nielsen, and Curt Nilsson, A SIMCA pattern recognition study in taxonomy: Claw shape in mosquitoes (Culicidae, Insecta), 355–369
Darlington, Philip J., Honorary Member, death reported, 254
Daubentonia madagascariensis, 29
Defining radiolarian species: In search of solutions, Joyce R. Blueford, 275–282
"Definition," "character," and other equivocal terms, Michael T. Ghiselin, 104–110
Deinocerites, 304
Dendrograms, 381–386
Dendroica, 206, 213
coronata, 205
Deriving phylogenetic trees from allele frequencies, James S. Rogers, 52–63
Dermatemydidae, 286, 287, 290, 291, 295, 296, 301
Dermatemys, 296
Dermochelyidae, 287, 290, 291, 295, 296, 301
Dermochelys, 287, 289–291, 299
Desmana moschata, 24, 29
Desmatochelyidae, 301
Desmodus, 348, 441, 442, 444, 445, 447, 450
rotundus, 29, 460
Diaemus, 450
youngi, 29, 460
Dillon, Robert T., Jr., Geographic distance, environmental difference, and divergence between isolated populations, 69–82
Dimorphism, 275–282
Diphylla, 450
ecaudata, 460
Donoghue, Michael J., see Maddison, Wayne P., –
Drosera, 10
Drosophila, 235, 264, 316
Druppatractus
hastatus, 277, 279
nanus, 277, 279

Echinops telfairi, 29
Ehrlich, P. R., 422–426
Electrophoresis, 137–158
Elephantulus fuscipes, 29

Ellipsostylus
distachys, 277, 279
salebrosus, 277, 279
Emballonura furax, 460
Emballonuridae, 460
Emberizidae, 206
Empidonax, 205–216
affinis, 212
alnorum, 207–210, 212–214
atriceps, 207–214
difficilis, 207–214
euleri, 207–211, 213, 214
flavescens, 207–214
flaviventris, 207–211, 213
hammondii, 206–213
minimus, 207–213
oberholseri, 206–213
traillii, 207–210, 212–214
virescens, 207–211, 213
wrightii, 207–210, 212, 213
Emyda, 285
Emydidae, 285, 286, 291, 296, 301
Emydoidae, 286
Emyidae, 137–158
Emyidinae, 137–158
Emys, 284–286
orbicularis, 138–147, 150, 156–158
Endler, John A., review by, 249–250
Endomychura hypoleucus, 177
Environmental difference, 69–82
Eonycteris spelaea, 29
Epochra canadensis, 59
Eptesicus, 441
fuscus, 29
melanopterus, 29
Erinaceus europaeus, 29
Erophylla, 344, 436, 443–445, 448–451, 453, 455, 458
sezekorni, 460
Erythrocebus patas, 29
E[*scherichia*] *coli*, 371
Essentialism, 110–112, 460–469
Eubaenidae, 290, 291
Eumops perotis, 29, 460
Evolution, 275–282
molecular, 370–380
parallel, 255–274
prawn, 195–204
reversibility, 241–245
Evolutionary,
compensations, 14–29
genetics, 205–216
regressions, 14–29
Evolutionary genetics of flycatchers. I. Sibling species in the genera *Empidonax* and *Contopus*, Robert M. Zink and Ned K. Johnson, 205–216
Extension of intersection methods from trees to dendrograms, an, Ralph Stinebrickner, 381–386

Feature extraction, 302–317
Fiala, Kent L., see Sokal, Robert R., –
Fink, William L., review by, 470–471
Fishes, 428–435
Flycatchers, 205–216
Fourier analysis, 302–317
Fragilaria vaucheriae, 76
Fratercula
arctica, 177
corniculata, 177
Freshwater fishes and biogeography of Central America and the Antilles, John C. Briggs, 428–435
From whale toes to snake eyes: Comments on the reversibility of evolution, Daniel G. Blackburn, 241–245
Fundulus grandis, 429, 430, 432, 433
Futuyma, D. J., and M. Slatkin (eds.), Coevolution (rev.), 250–251

Gaffney, Eugene S., Historical analysis of theories of chelonian relationship, 283–301
Galago
crassicaudatus, 29
demidovii, 29
senegalensis, 29
Galaxiidae, 11
Galemys pyrenaicus, 24, 29
Gambusia
punctata, 429
puncticulata, 432
rhizophorae, 429, 432
Gastropods, 69–82
opisthobranch, 255–274
Gastropteron, 266
Gene flow, 69–82
Genealogy of the New World nectar-feeding bats reexamined: A reply to Griffiths, James Dale Smith and Craig S. Hood, 435–460
Genetic distance, 52–63, 205–216, 238–240
Genic-environmental covariation, 69–82
Geoclemys, 138
Geoemyda, 138, 152
flavomarginata, 152
mouhotii, 153
Geographic distance, environmental difference, and divergence between isolated populations, Robert T. Dillon, Jr., 69–82
Geographic variation, 69–82, 217–237
Geospididae, 206
Ghiselin, Michael T., "Definition," "character," and other equivocal terms, 104–110
Ghiselin, Michael T., see Gosliner, Terrence M., and –
Gibson, A. Ralph, Allan J. Baker, and Abdul Moeed, Morphometric variation in introduced populations of the common myna (*Acridotheres tristis*): An application of the jackknife to principal component analysis, 408–421
Gibson, Arthur C., see Brown, James H., and –
Gingerich, Philip D., Punctuated equilibria—Where is the evidence?, 335–338
Girardinus, 429, 431, 432
Glacial refugia, 184–194
Glossophaga, 345, 346, 348, 443–446, 448–454, 458
longirostris, 460
soricina, 29, 460
Glyptops, 299, 301
Glyptopsidae, 291, 296, 301
Gomphonema parvulum, 76

Goniobasis proxima, 69–82
Gorilla gorilla, 29
Gosliner, Terrence M., and Michael T. Ghiselin, Parallel evolution in opisthobranch gastropods and its implications for phylogenetic methodology, 255–274
Gould, Stephen Jay, Covariance sets and ordered geographic variation in *Cerion* from Aruba, Bonaire and Curaçao: A way of studying nonadaptation, 217–237
Greenbaum, Ira F., see Sites, Jack W., Jr., –
Griffiths, 343–350, 435–460
Grus canadensis, 114
Gymnotidae, 428

Hafernik, J. E., Jr., Phenetics and ecology of hybridization in buckeye butterflies (Lepidoptera: Nymphalidae) (rev.), 471–472
Haiduk, Michael W., and Robert J. Baker, Scientific method, opinion, phylogenetic reconstruction, and nectar-feeding bats: A response to Griffiths and Warner, 343–350
Halenia, 10
Haliomma macradora, 278
Haminoea, 263
Haminoeidae, 261, 267
Hardella, 138
Hart, Gene, see Sokal, Robert, R., –
Hemicentetes semispinosus, 29
Hemiechinus auritus, 29
Hendy, M. D., and David Penny, Cladograms should be called trees, 245–247
Heosemys, 138, 149, 152, 153
  grandis, 140–147, 153, 156–158
  spinosa, 140–145, 147, 150, 153, 157, 158
Heterandria, 11
Hieremys, 138
  annandalei, 140–148, 153, 156–158
Hillis, David M., Misuse and modification of Nei's genetic distance, 238–240
Hipposideridae, 460
Hipposideros
  armiger, 18, 19, 29, 460
  bicolor, 29
  galeritus, 29
Historical analysis of theories of chelonian relationships, Eugene S. Gaffney, 283–301
History of the term met-allotype, Hobart M. Smith, 426–427
Holiomma macradoras, 278
Homo sapiens, 16, 18, 19, 23
Homoplastic characters in compatibility analysis, use of, J. G. Strauch, Jr., 167–177
Hood, Craig S., see Smith, James Dale, and –
Hull, 112–115
Hull, David L., Can Kripke alone save essentialism? A reply to Kitts, 110–112
Hybridization, 275–282
Hydraspididae, 286
Hydraspis, 285
Hylobates lar, 29
Hylonycteris, 348, 445, 446, 450, 451, 454, 455
Hypentelium
  etowanum, 56, 57
  nigricans, 56, 57
  roanokense, 56, 57
Hypsignathus monstrosus, 29

Ictaluridae, 428
Image analysis, 302–317
Indri indri, 29
Insectivora, 184–194
  brain structure, 14–29
Intersection methods, 381–386
Iterative procedure, 52–63

Jackknife, 408–421
Johnson, Kurt, and Eric L. Quinter, Lepidopterology's "blue bomb" controversy: A comment on Ehrlich and Murphy, 422–426
Johnson, Ned K., see Zink, Robert M., and –
Jolicoeur, Pierre, Paul Pirlot, Georg Baron, and Heinz Stephan, Brain structure and correlation patterns in Insectivora, Chiroptera, and Primates, 14–29

Kachuga, 138
  kachuga, 151
  smithi, 140–145, 147, 150, 151, 157, 158
  trivittata, 151
Kallokibotiidae, 291
Karyotypes, 178–183, 184–194, 339–341
Karyotypic megaevolution by any other name: A response to Marks, Robert J. Baker and John W. Bickham, 339–341
Karyotypic races of the common shrew *Sorex araneus* (Mammalia: Insectivora) and a phylogeny, three new, J. B. Searle, 184–194
Kerivoula papillosa, 29
Kessler, Louis G., and John C. Avise, Systematic relationships among waterfowl (Anatidae) inferred from restriction endonuclease analysis of mitochondrial DNA, 370–380
Kier, Porter M., review by, 351–352
Kinixys, 285
Kinosternidae, 291, 295, 296, 301
Kinosternon, 285
Kitts, 110–112
Kitts, David B., The names of species: A reply to Hull, 112–115
Kneriidae, 332–333
Kripke, 110–112

Lagothrix lagothrica, 29
Laridae, 206
Larus californicus, 205
Legendre, Pierre, Report on Seventeenth International Numerical Taxonomy Conference, 117–121
Lemus
  fulvus, 29
  variegatus, 29
Lepidopterology's "blue bomb" controversy: A comment on Ehrlich and Murphy, Kurt Johnson and Eric L. Quinter, 422–426
Lepilemur ruficaudatus, 29
Lepisosteidae, 429, 430, 433
Leptonycteris, 444–446, 451, 453, 456

curasoae, 450
nivalis, 448
sanborni, 448, 450, 460
Leptopodomorpha, 387–407
Lichonycteris, 444, 445, 451, 452, 455
Limia, 429, 432
Limnogale mergulus, 24, 29
Lindenfelser, Mary Ellen, Morphometric and allozymic congruence: Evolution in the prawn *Macrobrachium rosenbergii* (Decapoda: Palaemonidae), 195–204
Lionycteris, 343, 436, 444–446, 448, 450, 451, 454, 456–458
spurrelli, 449, 460
Lissemys, 301
Lonchophylla, 343, 344, 347, 436, 444–446, 448, 450, 451, 454, 456–458
robusta, 449, 460
Lonchorhina aurita, 29, 460
Lophospyris, 277
Loricariidae, 428
Loris tardigradus, 29
Lunda cirrhata, 177

Macaca mulatta, 29
Macrobrachium rosenbergi, 195–204
Macroclemys, 300
Macroderma gigas, 29
Macroglossus, 448
lagochilus, 29
minimus, 29
Macrotus, 438, 444
waterhousii, 345
Maddison, David R., see Maddison, Wayne P., –
Maddison, Wayne P., Michael J. Donoghue, and David R. Maddison, Outgroup analysis and parsimony, 83–103
Magicicada, 315
Mahunka, S., see Balogh, J., and –
Malacochersus, 146
tornieri, 139–145, 156
Malayemys, 138, 152
subtrijuga, 138–147, 151, 156–158
Manis, 447
Mansonia, 304
Marks, 339–341
Mauremys, 138, 146, 156
japonica, 140–145, 147, 158
mutica, 140–145, 147, 157, 158
Megaderma lyra, 460
Megadermatidae, 460
Megaevolution, 339–341
Meiolaniidae, 291, 296, 301
Melanochelys, 138
trijuga, 140–145, 147, 151, 152, 156–158
Melonycteris, 448
melanops, 460
Menidia, 66, 67
Mesochelys, 299, 301
Met-allotype, 426–427
Method for hierarchical clustering based on predictivity, a, Donald H. Colless, 64–68
Methods,
clustering, 64–68
intersection, 381–386
phylogenetic, 255–274
SIMCA, 355–369
Microcebus murinus, 29
Microgale cowani, 29
Micronycteris, 444, 450
brachyotis, 29
megalotis, 460
Micropotamogale lamottei, 24, 29
Mimon crenulatum, 29
Minimum evolution, 52–63
Minimum length trees, a note on, F. James Rohlf, 341–343
Miniopterus tristis, 460
Miolanidae, 287
Miolaniidae, 287
Misuse and modification of Nei's genetic distance, David M. Hillis, 238–240
Moeed, Abdul, see Gibson, A. Ralph, –
Molecular evolution, 370–380
Molossidae, 449, 460
Molossops planirostris, 460
Molossus major, 29
Monophyllus, 444, 445, 449–452, 454
luciae, 29
Morenia, 138
Mormoopidae, 436, 449, 460
Mormoops megalophylla, 460
Morphology, 275–282
Morphometric and allozymic congruence: Evolution in the prawn *Macrobrachium rosenbergii* (Decapoda: Palaemonidae), Mary Ellen Lindenfelser, 195–204
Morphometric variation in introduced populations of the common myna (*Acridotheres tristis*): An application of the jackknife to principal component analysis, A. Ralph Gibson, Allan J. Baker, and Abdul Moeed, 408–421
Morphometrics, 178–183, 302–317, 355–369, 408–421
Mosquitoes, 302–317, 355–369
Mossakowski, D., and G. Roth (eds.), Environmental adaptation and evolution: A theoretical and empirical approach (rev.), 122
Murphy, 422–426
Mus, 339, 340
musculus, 324, 347
Musonycteris, 348, 455
Mynas, 408–421
Myotis
adversus, 460
myotis, 29
nattereri, 29

Names of species: A reply to Hull, the, David B. Kitts, 112–115
Nasalis larvatus, 29
Natalidae, 449, 460
Natalus
stramineus, 460
tumidirostris, 29
Natural selection, 69–82
Navicula decussis, 76

Nei's genetic distance, 238–240
Nelson, Gareth, reviews by, 122–123, 248–249
Nelson, Gareth, see Platnick, Norman I., and –
Neomys fodiens, 24, 29
Neosemantis bjoerklundi, 278
Nesogale
  dobsoni, 29
  talazaci, 29
Neurankylidae, 290, 291
Nielsen, Lewis T., see Dahl, Christine, –
Nilsson, Curt, see Dahl, Christine, –
Noctilio
  albiventris, 460
  labialis, 19, 29
  leporinus, 29, 460
Noctilionidae, 436, 449, 460
Nonadaptation, 217–237
Noonan, Gerald R., review by, 123–126
Norton, Roy A., review by, 472–474
Notochelys, 138, 151, 152
  platynota, 140–145, 147, 150, 157–158
Notopterus, 448
Notropis
  atrapiculus, 57, 58
  bellus, 57, 58
  roseipinnis, 57–59
  umbratilis, 57, 58
Numerical taxonomy, 30–51, 381–386
    conference, 117–121
Nuttallornis, 210
Nyctalus noctula, 29
Nycteris javanica, 29
Nycticebus coucang, 29

Ocadia, 138
  sinensis, 140–147, 157, 158
Ochlerotatus, 355–369
Oedicarena latifrons, 59
Onychomys, 339, 340
Opinion, 343–350
Ophisternon aenigmaticum, 429, 432, 433
Opisthobranch gastropods, 255–274
Orlitia, 138, 152
  borneensis, 140–145, 147, 157, 158
Orthopodomyia, 304
Oryzorictes talpoides, 29
OTU stability and factors determining taxonomic stability: Examples from the Caminalcules and the Leptopodomorpha, Robert R. Sokal, Kent L. Fiala, and Gene Hart, 387–407
Outgroup analysis and parsimony, Wayne P. Maddison, Michael J. Donoghue, and David R. Maddison, 83–103

Palaemonidae, 195–204
Paleocontinental configurations, 1–13
Paleogeography, 195–204
Pan troglodytes, 29
Panbiogeography: A progressive research program?, Robin C. Craw and Peter Weston, 1–13
Papio anubis, 29
Parallel evolution in opisthobranch gastropods and its implications for phylogenetic methodology, Terrence M. Gosliner and Michael T. Ghiselin, 255–274
Parsimony, 30–51, 83–103, 255–274
Parulidae, 206
Passer domesticus, 205
Pattern recognition, 355–369
Pelomedusidae, 286, 287, 290, 291, 296, 301
Pelusios, 285, 286
Penny, David, see Hendy, M. D., and –
Penthetor lucasi, 29
Perodicticus potto, 29
Phaneropthalmus, 263
Phenetic classifications, 387–407
Phenetics, 30–51, 64–68
Phenogram, 64–68
Philine, 263
Philinidae, 267
Phormospyris, 277
Phyllonycteris, 344, 436, 443–445, 448–451, 453, 458
  poeyi, 460
Phyllostomidae, 343–350, 435–460
Phyllostomus, 438, 441, 444, 450
  discolor, 29
  hastatus, 29, 460
Phylogenetic,
  inference, 205–216
  methodology, 255–274
  trees, 52–63, 159–166, 167–177
Phylogenetic trees: An analysis of the Treeness test, Paola Astolfi and Laura Zonta-Sgaramella, 159–166
Phylogeny,
  reconstruction, 83–103, 343–350, 370–380
  shrew, 184–194
  turtle, 137–158
Picidae, 206
Pimelodidae, 428
Pinguinus impennis, 177
Pirlot, Paul, see Jolicoeur, Pierre, –
Pithecia monacha, 29
Platalina, 343, 436, 444–446, 448–451, 455–458
Plate tectonics, 195–204
Platnick, Norman I., and Gareth Nelson, Composite areas in vicariance biogeography, 328–335
Platysternidae, 286
Platysternon, 296
Plesiochelyidae, 287, 290, 291, 296, 301
Plesiochelys, 300
Plethodon cinereus, 213
Pleuroceridae, 69–82
Pleurosternidae, 286, 287, 291, 296
Pleurosternoidae, 290, 301
Pleurosternon, 299–301
Podocnemididae, 286
Poecilia, 429
  vivipara, 432
Poecilidae, 11
Poeciliidae, 428–433
Polypteridae, 332, 333
Polypterus
  bichir, 333
  endlicheri, 333, 334
Population variation, 69–82, 408–421

Potamogale velox, 24, 29
Predictive value of numerical classifications, a new look at the, James W. Archie, 30–51
Predictivity, 64–68
Price, J. H., see Sims, R. W., –
Primates,
  brain structure, 14–29
Principal components, 355–369, 408–421
Proganochelyidae, 291, 296, 301
Proganochelys, 299, 301
Progression indices, 14–29
Propithecus verreauxi, 29
Propleuridae, 286
Proterochersidae, 287, 291
Protostegidae, 287, 290, 291, 296, 301
Psorophora, 303, 304
Ptenochirus jagori, 460
Pteropodidae, 460
Pteropus
  capistratus, 460
  lylei, 29
  neohibernicus, 460
  parnelli, 460
Ptychoramphus aleuticus, 177
Punctuated equilibria—Where is the evidence?, Philip D. Gingerich, 335–338
Pygathrix nemaeus, 18, 29
Pytel, Barbara A., see Sites, Jack W., Jr., –
Pyxidea, 138
  mouhotii, 140–145, 147, 153, 156–158
Pyxis, 285

Quintana, 429, 431, 432
Quinter, Eric L., see Johnson, Kurt, and –

Racial hybridization, 184–194
Radiolaria, 275–282
Range expansion, 184–194
Report on Seventeenth International Numerical Taxonomy Conference, Pierre Legendre, 117–121
Restriction fragments, 370–380
Rhagoletis
  basiola, 59
  berberides, 59
  berberis, 59
  boycei, 59
  cerasi, 59
  cingulata, 59
  cornivora, 59
  fausta, 59
  juglandis, 59
  juniperina, 59
  mendax, 59
  pomonella, 59
  ribicola, 59
  striatella, 59
  tabellaria, 59
  zephyria, 59
Rhinoclemmys, 137, 138
  pulcherrima, 138–145, 147, 151, 153, 157, 158
Rhinolophidae, 460
Rhinolophus
  affinus, 449, 460
  hipposideros, 29
Rhogeessa, 178–183
  genowaysi, 178–183
  parvula, 29, 178–181
  tumida, 178–182
Rhynchiscus naso, 29
Rhynchocyon stuhlmanni, 29
Rivulus
  harti, 432
  marmoratus, 429, 432, 433
  roloffi, 432
Robertsonian races, 184–194
Rogers' genetic distance, 52–63
Rogers, James S., Deriving phylogenetic trees from allele frequencies, 52–63
Rohlf, F. James, A note on minimum length trees, 341–343
Rohlf, F. James, and James W. Archie, A comparison of Fourier methods for the description of wing shape in mosquitoes (Diptera: Culicidae), 302–317
Roth, G., see Mossakowski, D., and –
Rousettus aegyptiacus, 29
Runcina, 266
Runcinidae, 261, 267

Sacalia, 138
  bealei, 140–145, 147, 157, 158
Saccopteryx
  bilineata, 29, 460
  leptura, 29
Saguinus
  oedipus, 29
  tamarin, 29
Saimiri sciureus, 29
Scaphandridae, 267
Scientific method, opinion, phylogenetic reconstruction, and nectar-feeding bats: A response to Griffiths and Warner, Michael W. Haiduk and Robert J. Baker, 343–350
Scleronycteris, 455
Scotophilus
  kuhli, 460
  temminckii, 29
Searle, J. B., Three new karyotypic races of the common shrew *Sorex araneus* (Mammalia: Insectivora) and a phylogeny, 184–194
Selection,
  natural, 69–82
  species, 318–328
Setifer setosus, 29
Shape characterization, 355–369
Shrews, 184–194
Sibling species, 205–216
Siebenrockiella, 138, 152
  crassicollis, 140–147, 150, 151, 157, 158
SIMCA pattern recognition study in taxonomy: Claw shape in mosquitoes (Culicidae, Insecta), a, Christine Dahl, Svante Wold, Lewis T. Nielsen, and Curt Nilsson, 355–369
Simpson, George Gaylord, Honorary Member, death reported, 476
Sims, R. W., J. H. Price, and P. E. S. Whalley (eds.),

Evolution, time and space: The emergence of the biosphere (rev.), 123–126
Sinemyriidae, 291
Siter, Jack W., Jr., John W. Bickham, Barbara A. Pytel, Ira F. Greenbaum, and Brian A. Bates, Biochemical characters and the reconstruction of turtle phylogenies: Relationships among batagurine genera, 137–158
Skeletal morphometrics, 408–421
Slatkin, M., see Futuyma, D. J., and –
Smith, Andrew, Echinoid paleobiology (rev.), 351–352
Smith, Hobart M., History of the term met-allotype, 426–427
Smith, James Dale, and Craig S. Hood, Genealogy of the New World nectar-feeding bats reexamined: A reply to Griffiths, 435–460
Snails, 69–82
Sober, Elliott (ed.), Conceptual issues in evolutionary biology (rev.), 470–471
Sokal, Robert R., Kent L. Fiala, and Gene Hart, OTU stability and factors determining taxonomic stability: Examples from the Caminalcules and the Leptopodomorpha, 387–407
Solenodon paradoxus, 29
Sorex
  araneus, 29, 184–194
  coronatus, 192, 193
  minutus, 29
Speciation, 115–116, 205–216
Species, 460–469
  cryptic, 178–183
  names, 112–115
  radiolarian, 275–282
  selection, 318–328
  sibling, 205–216
Species as an individual: Facing essentialism, the, Rejane Bernier, 460–469
Species selection?, what is, Elisabeth S. Vrba, 318–328
Sphaeronycteris toxophyllum, 29
Sphaerostylus rosetta, 278, 279
Sphargidae, 285, 286
Sphargididae, 286
Sphargis, 285
Stability, 387–407
Stephan, Heinz, see Jolicoeur, Pierre, –
Sternotheridae, 286
Sternotherus, 285–287
Stinebrickner, Ralph, An extension of intersection methods from trees to dendrograms, 381–386
Strauch, J. G., Jr., Use of homoplastic characters in compatibility analysis, 167–177
Sturnira, 345
  lilium, 29, 460
Suncus murinus, 29
Sympatric cryptic species of mammal: A new species of *Rhogeessa* (Chiroptera: Vespertilionidae), a, Robert J. Baker, 178–183
Synbranchidae, 429, 430, 433
Synthliboramphus
  antiquus, 177
  wumizusume, 177
Systematic relationships among waterfowl (Anatidae) inferred from restriction endonuclease analysis of mitochondrial DNA, Louis G. Kessler and John C. Avise, 370–380

Tachyglossus, 447
Tadarida plicata, 29
Talpa europaea, 29
Taphozous melanopogon, 29, 449, 460
Tarsipes, 447
Tarsius, 16, 29
Taxonomic,
  congruence, 30–50
  stability, 387–407
Tenrec ecaudatus, 29
Terminology of allopatric speciation, the, Joel Cracraft, 115–116
Terrapene, 11, 285, 286
Testudinidae, 139, 141, 285, 286, 287, 290, 291, 296, 301
Testudo, 284, 285
  fimbriata, 286
  terrestris, 286
Thalassemydidae, 290, 291
Thalassemyidae, 287
Theory,
  chelonian relationship, 283–301
  classification, 30–51
Thyroptera tricolor, 29
Toxochelyidae, 290, 291, 301
Toxochelys, 300
Toxorhynchites, 303, 304
Trachops cirrhosus, 29, 460
Treeness test, 159–166
Trees, 381–386
  cladograms, 245–247
  minimum length, 341–343
  phylogenetic, 52–63, 159–166, 167–177
Triassochelyidae, 290
Trichomycteridae, 428
Trinitichelys, 300
Trionicidae, 285
Trionychidae, 286, 287, 289–291, 295, 296, 301
Trionycidae, 285
Trionyx, 284–286
Trisolenia, 278
Trissocyclidae, 277
Tudora megacheilos, 234
Tupaia
  glis, 29
  minor, 29
Turdidae, 206
Turtle, 283–301
  systematics, 137–158
Tylodina, 266
Tylonycteris
  pachypus, 19, 29
  robustula, 29

Uranotaenia, 304
Uria
  aalge, 177
  lomvia, 177

Uroderma, 345, 445, 450
bilobatum, 29
Urogale everetti, 29

Vampyrops helleri, 29
Vampyrum spectrum, 29
Variation,
geographic, 69–82, 217–237
karyotypic, 184–194
morphometric, 408–421
Vespertilionidae, 178–183, 346, 449, 460
Vicariance biogeography, 1–13
Vireonidae, 206
Vrba, Elisabeth S., What is species selection?, 318–328

Wallace's Line, 195–204
Warner, R. M., 343–350
Waterfowl, 370–380
Weston, Peter, see Craw, Robin C., and –
Whalley, P. E. S., see Sims, R. W., –
Wold, Svante, see Dahl, Christine, –
Wyeomyia, 304

Xiphophorus, 11

Zink, Robert M., and Ned K. Johnson, Evolutionary genetics of flycatchers. I. Sibling species in the genera *Empidonax* and *Contopus*, 205–216
Zonosemata electa, 59
Zonotrichia leucophrys, 205
Zonta-Sgaramella, Laura, see Astolfi, Paola, and –
Zoogeography, 195–204
Zygocircus productus, 278
Zyzomys, 340

Announcements

Titles to Appear in Upcoming Issues of *Systematic Zoology*.—The Neotropical colubrid snake fauna (Serpentes: Colubridae): Lineage components and biogeography (J. E. Cadle); Problems with the interpretation of developmental sequences (P. Alberch); Phylogenies from gene frequencies: A statistical problem (J. Felsenstein); Cladistic analysis of restriction endonuclease cleavage maps within a maximum likelihood framework (R. W. DeBry and N. A. Slade); Character number and the multivariate analysis of simple patterns of geographic variation: Racial categories (R. S. Thorpe); Monophyly of the Tyrannidae (Aves): Comparison of morphology and DNA (M. C. McKitrick); Measuring shape variation among two-dimensional outlines (S. Ferson, F. J. Rohlf, and R. K. Koehn); The use of tree comparison metrics (D. Penny and M. D. Hendy); Evolutionary genetics of the Andean lizard genus *Pholidobolus* (Sauria: Gymnophthalmidae): Phylogeny, biogeography, and comparison of tree metrics (D. M. Hillis); On the nature of ancestors (M. Heads); Nonequilibrium thermodynamics and evolution—Responses to Bookstein and Wicken (D. R. Brooks and E. O. Wiley); Report on 18th International Numerical Taxonomy Conference (G. F. Estabrook); Two hypotheses on Darwin's gradualism (D. Penny); Darwin and the definition of phylogeny (E. Mayr); Terrestrial isopods for preparing delicate vertebrate skeletons (V. C. Maorana and L. M. Van Valen); Charles L. Camp and his 1923 classification of lizards: An early cladist? (S. M. Moody).

Classification Society Meeting.—The sixteenth annual meeting of the Classification Society of North America will be held 11–13 July 1985 at Memorial University of Newfoundland, St. John's, Newfoundland. Its purpose is to promote the scientific study of classification, clustering (including systematic methods of creating classifications from data), and related statistical and data analytic methods. It will feature symposia on special topics, sessions for contributed papers, and invited addresses by: Joseph Felsenstein (Genetics, Univ. Washington); Peter H. A. Sneath (Microbiology, Univ. Leicester); John W. Tukey (Statistics, Princeton Univ.); and Martin B. Wilk (Chief Statistician of Canada, Statistics Canada). A one-day symposium on "Comparison and Consensus in Numerical Taxonomy" is being organized to precede the opening of the annual meeting on 11 July.

Anyone wishing to propose symposia o. to present papers should contact the Program Chairman before the deadline for abstracts (15 March 1985). For further information, write the Program Chairman: William H. E. Day, Department of Computer Science, Memorial University of Newfoundland, St. John's, Newfoundland, Canada A1C 5S7.